

Contents of *Agriculture, Ecosystems and Environment*, Volume 37

Vol. 37 Nos. 1–3

October 1991

Special Issue: Biological control of weeds in South Africa

Introduction

J.R. Hoffmann (Rondebosch, South Africa)	1
Biological control of jointed cactus, <i>Opuntia aurantiaca</i> (Cactaceae), in South Africa	
V.C. Moran (Rondebosch, South Africa) and H.G. Zimmermann (Pretoria, South Africa)	5
Biological control of prickly pear, <i>Opuntia ficus-indica</i> (Cactaceae), in South Africa	
H.G. Zimmermann (Pretoria, South Africa) and V.C. Moran (Rondebosch, South Africa)	29
Biological control of cactus weeds of minor importance in South Africa	
V.C. Moran (Rondebosch, South Africa) and H.G. Zimmermann (Pretoria, South Africa)	37
Biological control of <i>Lantana camara</i> (Verbenaceae) in South Africa	
C.J. Cilliers and S. Naser (Pretoria, South Africa)	57
Biological control of St. John's Wort, <i>Hypericum perforatum</i> (Clusiaceae), in South Africa	
A.J. Gordon (Stellenbosch, South Africa) and R.L. Kluge (Pietermaritzburg, South Africa)	77
Biological control of <i>Hakea sericea</i> (Proteaceae) in South Africa	
R.L. Kluge (Pietermaritzburg, South Africa) and S. Naser (Pretoria, South Africa)	91
Biological control of <i>Acacia longifolia</i> and related weed species (Fabaceae) in South Africa	
G.B. Dennill (Pretoria, South Africa) and D. Donnelly (Stellenbosch, South Africa)	115
Biological control of silverleaf nightshade, <i>Solanum elaeagnifolium</i> , and bugweed, <i>Solanum mauritianum</i> , (Solanaceae) in South Africa	
T. Olckers (Uitenhage, South Africa) and H.G. Zimmermann (Pretoria, South Africa)	137
Biological control of <i>Sesbania punicea</i> (Fabaceae) in South Africa	
J.H. Hoffmann and V.C. Moran (Rondebosch, South Africa)	157
Biological control of mesquite, <i>Prosopis</i> spp. (Fabaceae), in South Africa	
H.G. Zimmermann (Pretoria, South Africa)	175
Biological control of crofton weed, <i>Ageratina adenophora</i> (Asteraceae), in South Africa	
R.L. Kluge (Pietermaritzburg, South Africa)	187
Biological control of trifid weed, <i>Chromolaena odorata</i> (Asteraceae), in South Africa	
R.L. Kluge (Pietermaritzburg, South Africa)	193

Biological control of spear thistle, <i>Cirsium vulgare</i> (Asteraceae), in South Africa H.G. Zimmermann (Pretoria, South Africa)	199
Biological control of water hyacinth, <i>Eichhornia crassipes</i> (Pontederiaceae), in South Africa C.J. Cilliers (Pretoria, South Africa)	207
Biological control of water fern, <i>Salvinia molesta</i> (Salviniaceae), in South Africa C.J. Cilliers (Pretoria, South Africa)	219
Biological control of water lettuce, <i>Pistia stratiotes</i> (Araceae), in South Africa C.J. Cilliers (Pretoria, South Africa)	225
Biological control of fennel-leaved pondweed, <i>Potamogeton pectinatus</i> (Potamogetonaceae), in South Africa H.J. Schoonbee (Johannesburg, South Africa)	231
The use of plant pathogens for biological weed control in South Africa M.J. Morris (Stellenbosch, South Africa)	239

The Guide for Authors will appear in Volume 37 No. 4

Vol. 37 No. 4

November 1991

Fluoride content in grass as related to atmospheric fluoride concentrations: a simplified predictive model L.J. van der Eerden (Wageningen, Netherlands)	257
A model describing the influence of hard seededness on the persistence of an annual forage legume, in a ley farming system, in a mediterranean-type environment G.B. Taylor, R.A. Maller and R.C. Rossiter (Wembley, W.A., Australia)	275
Leaching and runoff losses of herbicides in a tilled and untilled field J.K. Hall, R.O. Mumma and D.W. Watts (University Park, PA, USA)	305
Book Reviews	
Soil Degradation	315
The Greenhouse Effect	317
Agroecology	318
Whiteflies	321
Ground Beetles	323
Granivorous Birds	325
Announcement	329
Author Index	331

